



Mahidol University
Faculty of Medical Technology

Preliminary Report

The External Quality Assessment Scheme in Clinical Immunology (EQAI)

Syphilis Serology

Trial: 4/2023

Disclosure Date: 22 November 2023

Test	Sample No.			
	SE01-23-4-1	SE01-23-4-2	SE01-23-4-3	SE01-23-4-4
Non treponemal test	Reactive 1:2	Reactive 1:4	Reactive 1:16	Non-reactive
Treponemal test	Reactive	Reactive	Reactive	Non-reactive



PTP
No.0033

Reported by:

Asst. Prof. Dr. Donporn Riyapa ,
Technical Manager

Approved by:

Assoc. Prof. Dr. Patchanee Chootong,
Scheme Coordinator

Provided by

EQAI : Syphilis serology

Faculty of Medical Technology, Mahidol University

999 Salaya, Phutthamonthon, Nakhon Pathom 73170

Tel : 080 982 5570 Email : eqai.mahidol@gmail.com

เอกสารนี้สำหรับนำไปอ้างอิงและเผยแพร่ได้ โดยอ้างอิงถึง โครงการประเมินคุณภาพห้องปฏิบัติการภูมิคุ้มกันวิทยาโดยองค์กรภายนอก-ซิฟิลิส ซีโรโลยี
คณะเทคนิคการแพทย์ มหาวิทยาลัย มหิดล