



Mahidol University
Faculty of Medical Technology

Preliminary Report

The External Quality Assessment Scheme in Clinical Immunology (EQAI)

Syphilis Serology

Trial: 2/2024

Disclosure Date: 29 May 2024

	Sample No.			
Test	SE01-24-2-1	SE01-24-2-2	SE01-24-2-3	SE01-24-2-4
Non treponemal test	Non-reactive	Reactive 1:2	Reactive 1:16	Reactive 1:2
Treponemal test	Non-reactive	Reactive	Reactive	Reactive



PTP
No.0033

Reported by:

Asst. Prof. Dr. Donporn Riyapa ,
Technical Manager

Approved by:

Assoc. Prof. Dr. Patchanee Chootong,
Scheme Coordinator

Provided by

EQAI : Syphilis serology
Faculty of Medical Technology, Mahidol University
999 Salaya, Phutthamonthon, Nakhon Pathom 73170
Tel : 080 982 5570 Email : eqai.mahidol@gmail.com

เอกสารนี้สำหรับนำไปอ้างอิงและเผยแพร่ได้ โดยอ้างอิงถึง โครงการประเมินคุณภาพห้องปฏิบัติการภูมิคุ้มกันวิทยาโดยองค์กรภายนอก:ซิฟิลิส ซีโรโลยี
คณะเทคนิคการแพทย์ มหาวิทยาลัย มหิดล