



Mahidol University
Faculty of Medical Technology

Preliminary Report

The External Quality Assessment Scheme in Clinical Immunology (EQAI)

Syphilis Serology

Trial: 2/2025

Disclosure Date: 02 June 2025

	Sample No.			
Test	SE01-25-2-1	SE01-25-2-2	SE01-25-2-3	SE01-25-2-4
Non treponemal test	Reactive 1:4	Reactive 1:2	Non-reactive	Reactive 1:32
Treponemal test	Reactive	Reactive	Reactive	Reactive



PTP
No.0033

Reported by:

Asst. Prof. Dr. Donporn Riyapa,
Technical Manager

Approved by:

P. Chootong

Assoc. Prof. Dr. Patchanee Chootong,
Scheme Coordinator

Provided by

EQAI: Syphilis serology

Faculty of Medical Technology, Mahidol University

999 Salaya, Phutthamonthon, Nakhon Pathom 73170

Tel: 080 982 5570 Email: eqai.mahidol@gmail.com

เอกสารนี้สำหรับนำไปอ้างอิงและเผยแพร่ได้ โดยอ้างอิงถึง โครงการประเมินคุณภาพห้องปฏิบัติการภูมิคุ้มกันวิทยาโดยองค์กรภายนอก: ซิฟิลิส ซีโรโลยี
คณะเทคนิคการแพทย์ มหาวิทยาลัย มหิดล